



PLUMBING



CRANE
LIMITED



A SELECTION
OF
CRANE

**PLUMBING
FIXTURES**

SERVICE QUALITY

**CRANE
LIMITED**

1170 BEAVER HALL SQUARE
MONTREAL, QUE.

INTRODUCTION

THIS Catalogue was designed to meet the general requirements of Prospective Clients and introduces to Home Builders and others interested in Industrial, Commercial and Alteration work an attractive range of modern Plumbing Fixtures. No attempt has been made in this limited space to show the complete line supplied by Crane Service, but enough is shown to cover a wide field and to assure you that there is no condition this service will not meet. Crane goods may be procured through your plumbing and heating contractor.

Working in conjunction with our factories is a chain of branch houses throughout the country, with show rooms where Crane goods may be examined and procured.

These show rooms are at your service and you are free to use them to gain information or make selections of fixtures.

CRANE
LIMITED

CRANE

LIMITED

MONTREAL, QUE. (General Office and Exhibit Rooms),
 Crane Building, 1170 Beaver Hall Square
 MONTREAL (Works).....1280 St. Patrick Street
 MONTREAL (City Store).....1175 Union Avenue
 ST. JOHNS, QUE. (Potteries).....Longueuil and St. Georges Sts.

BRANCH HOUSES

VICTORIA, B.C.....905 Government Street
 VANCOUVER, B.C.....540 Beatty Street
 CALGARY, ALTA.....602 Eleventh Avenue, West
 EDMONTON, ALTA.....Revillon Building
 REGINA, SASK.....1408 Broad Street
 WINNIPEG, MAN.....93 Lombard Street
 WINDSOR, ONT.....414 Windsor Avenue
 LONDON, ONT.....304 York Street
 HAMILTON, ONT.....40 Wellington Street, North
 TORONTO, ONT.....306 Front Street, West
 OTTAWA, ONT.....142 Bank Street
 SHERBROOKE, QUE.....25 King Street, West
 HALIFAX, N.S.....1565 Barrington Street, North
 QUEBEC, QUE.....70 St. Valier Street

DOMINION EXHIBIT ROOMS

MONTREAL, QUE.....Crane Building, 1170 Beaver Hall Square
 OTTAWA, ONT.....142 Bank Street
 VICTORIA, B.C.....901 Government Street

CRANE-BENNETT LTD.

LONDON, E. 1, ENG., Cable Address, Spruceness—London....45-51 Leman Street
 IPSWICH, ENG. (Nacton Works)

BRANCH HOUSE

GLASGOW, SCOTLAND.....94/100 Clyde Street, Anderson

OFFICES

BIRMINGHAM, ENG.....Lloyds Bank Chambers, New Street
 BOMBAY, INDIA.....A. Karim Building, Graham Road
 CALCUTTA, INDIA.....3 Commercial Bldg., 102 Clive Street
 CARDIFF, WALES.....Motor House, 1, Wood Street
 COLOMBO, CEYLON.....81 Chatham Street
 KARACHI, INDIA.....Vasiamal Assumal Building, Dunolly Road
 LEEDS, ENG.....Oxford Chambers, Victoria Square
 MADRAS, INDIA.....17a Armenian Street
 MANCHESTER, ENG.....32 Oxford Road
 RANGOON, BURMA.....52 Sule Pagoda Road

CRANE


A CRANE BATHROOM

PHOTOGRAPH OF AN ACTUAL INSTALLATION



CRANE BEAUTY IN THE OPEN

CRANE QUALITY IN ALL HIDDEN FITTINGS




CRANE MODEL BATHROOM "F"

This bathroom is suitable for a small home or apartment building, and illustrates what can be done where space is limited.


The "Modus" tub is a one-piece enameled iron fixture and is tiled in at the back and both ends. There is an overhead shower and a curtain.

The "Nova" lavatory is used with a combination faucet and a Vitroware soap dish.

The "Saneto" closet with Vitroware tank, a medicine cabinet and a selection of bathroom trimmings, complete this very satisfactory room.



SIZE 5 x 7 1/2 FEET



THE "SECURO" WASTE

The "SECURO" Waste shown in connection with Crane lavatories is a quick draining, direct lift pop-up, with extra large unobstructed outlet.

The quick rush of water from the basin carries practically all the foreign matter held in suspension to the trap, leaving the bowl in a sanitary condition.

This waste will drain the lavatory in approximately seven seconds and is simple in design, containing only two moving parts.

The operating stem is concealed in the overflow, reducing the number of metal parts to be kept clean.

The plug is positively closed by the handle.



C 220-M1

Crane "CORWITH" Twice Fired Vitreous China Pedestal Lavatory with Integral Overflow and Splash Lip: New Design Square Bowl; Cast Brass Wall Brackets; "SECURO" Combination Compression Supply and Quick Draining Direct Lift Waste Fixture with Renewable Seats, Metal Spout, Shampoo Connection, Four-Arm Indexed All-China Handles and China Escutcheons on Valves and China Knob on Waste; $\frac{3}{8}$ " Iron Pipe Size and Weight Supplies to Wall with Wheel Handle Compression Stops and Metal Wall Flanges; $1\frac{1}{2}$ " Cast Brass "P" Trap with Cleanout and Metal Wall Flange. All exposed metal parts are Nickel Plated Brass.

Slab	Inches	36x24	33x24	30x24	27x22
Basin	Approx. Inches	15x21	14x20	13x19	13x18
Approx. Shpg. Wt	Pounds	350	325	300	275
Price as Described	Each	\$361.50	\$232.50	\$132.00	\$110.00

NOTE:—This Lavatory can also be furnished with Integral Spout supply at special prices.



C 260 - C1

Crane "NOVA" Twice Fired Vitreous China Pedestal Lavatory with Integral Spout, Overflow and Soap Depression; Wall Brackets; Combination Compression Supply Fixture with "SECURO" Direct Lift Waste, having Four-Arm Indexed All-China Handles and Escutcheons on Valves and China Knob on Waste; $\frac{3}{8}$ inch Iron Pipe Size and Weight Supplies to Wall with Compression Stops having Wheel Handles and Metal Wall Flanges; $1\frac{1}{4}$ -inch "P" Trap with Nipple and Metal Wall Flange. All exposed metal parts are Nickel Plated Brass.

Size Slab.....Inches	24x30	22x27	21x24
Size Bowl.....Inches	13x18	12x17	12x16
As Described.....Each	\$132.00	\$93.00	\$80.00



C 264-MI.

Crane "NOVA" Twice Fired Vitreous China Pedestal Lavatory with Overflow and Soap Depression; Wall Brackets; Combination Compression Supply Fixture with "SECURO" Direct Lift Waste, Metal Spout with Shampoo Connection, Four-Arm Indexed All-China Handles and Escutcheons on Valves and China Knob on Waste; $\frac{3}{8}$ -inch Iron Pipe Size and Weight Supplies to Wall with Compression Stops having Wheel Handles and Metal Wall Flanges; $1\frac{1}{4}$ -inch "P" Trap with Nipple and Metal Wall Flange. All exposed metal parts are Nickel Plated Brass.

Size Slab.....	Inches	24x30	22x27	21x24
Size Bowl.....	Inches	13x18	12x17	12x16
As Described.....	Each	\$127.00	\$85.00	\$69.00



C 270-S1

Crane "NOVA" Twice Fired Vitreous China Pedestal Lavatory with Overflow and Soap Depression; Wall Brackets; "AGILIS" Quick Compression Double Lavatory Faucet with Indexed China Lever Handles; "SECURO" Direct Lift Waste with China Knob; China Lipped Soap Dish; 3⁄8-inch Iron Pipe Size and Weight Supplies to Wall with Compression Stops having Wheel Handles and Metal Wall Flanges; 1¼-inch "P" Trap with Nipple and Metal Wall Flange. All exposed metal parts are Nickel Plated Brass.

Size Slab.....	Inches	24x30	22x27	21x24
Size Bowl.....	Inches	13x18	12x17	12x16
As Described.....	Each	\$119.00	\$77.00	\$62.00



C 270-S4

Crane "NOVA" Twice Fired Vitreous China Pedestal Lavatory with Overflow and Soap Depression; Wall Brackets; "TELSA Jr" Compression Lavatory Faucets with Four-Ball China Indexed Handles; "SECURO" Direct Lift Waste with China Knob; $\frac{3}{8}$ -inch Iron Pipe Size and Weight Supplies to Wall with Compression Stops having Wheel Handles and Metal Wall Flanges; $1\frac{1}{4}$ -inch "P" Trap with Nipple and Metal Wall Flange. All exposed metal parts are Nickel Plated Brass.

Size Slab.....	Inches	24x30	22x27	21x24
Size Bowl.....	Inches	13x18	12x17	12x16
As Described.....	Each	\$109.00	\$67.00	\$52.00



C 270-P5

Crane "NOVA" Twice Fired Vitreous China Pedestal Lavatory with Integral Overflow; Cast Iron Painted Wall Brackets "TELSA Jr" Compression Lavatory Faucets with Four-Ball China Indexed Handles; Patent overflow Plug; Chain Stay, Bead Chain and Rubber Stopper; $\frac{3}{8}$ " Iron Pipe size and Weight Supplies to Wall with Wheel Handle Compression Stops and Metal Wall Flanges; $1\frac{1}{4}$ " Cast Brass "P" Trap with Cleanout and Metal Wall Flange. All exposed metal parts are Nickel Plated Brass.

Slab.....	Inches	22x27	21x24
Basin.....	Inches	13x17x6 $\frac{1}{2}$	11 $\frac{1}{2}$ x17x6 $\frac{1}{2}$
Approx. Shpg. Wt.....	Pounds	235	210
Price as Described.....	Each	\$70.00	\$55.00



C 300-C1

Crane "OVATUS" Twice-Fired Vitreous China Pedestal Lavatory with Integral Spout, Overflow and Soap Depression; Wall Brackets; Combination Compression Supply Fixture with "SECURO" Direct Lift Waste, having Four-Arm Indexed All-China Handles and Escutcheons on Valves and China Knob on Waste; $\frac{3}{8}$ -inch Iron Pipe Size and Weight Supplies to Wall with Compression Stops having Four-Arm Indexed All-China Handles and China Wall Flanges; $1\frac{1}{4}$ -inch "P" Trap with Nipple and China Wall Flange. All exposed metal parts are Nickel Plated Brass.

Size Slab.....	Inches	24x30	22x27
Size Bowl.....	Inches	13x18	12x17
As Described.....	Each	\$140.00	\$114.00



C 304-M1

Crane "Ovatus" Vitroware Pedestal Lavatory with Extra Heavy Roll Rim, Deep Apron, Integral Overflow and Wall Brackets; "Securo" Combination Compression Supply and Direct Lift Waste with All China Cross Handles and China Escutcheons; Supplies to Wall with Wheel Handle Compression Stops and Wall Flanges; 1½-inch "P" Trap, no vent, with cleanout and Wall Flange. All exposed metal parts are Nickel Plated Brass.

Size Slab.....	Inches	24x33	24x30	22x27
Size Bowl.....	Inches	13x20	13x18	12x17
Approximate Weight.....	Pounds	235	225	200
As Described.....	Each	\$167.00	\$143.00	\$125.00



C 500-S4

Crane "VERNON" Twice Fired Vitreous China Lavatory with Integral Back, Overflow and Soap Depression; Single Twice Fired Vitreous China Pedestal Leg; Wall Brackets; "Telsa Jr" Compression Lavatory Faucets with Four-Ball China Indexed Handles; "SECURO" Direct Lift Waste with China Knob; $\frac{3}{8}$ -inch Iron Pipe Size and Weight Supplies to Wall with Compression Stops having Wheel Handles and Metal Wall Flanges; $1\frac{1}{4}$ -inch "P" Trap with Nipple and Metal Wall Flange. All exposed metal parts are Nickel Plated Brass.

Size Slab.....	Inches	21x24	18x20
Size Bowl.....	Inches	12x17	11x14
Height of Back.....	Inches	7	6
As Described.....	Each	\$56.00	\$48.00



C 600-C1

Crane "IDALIA" Twice Fired Vitreous China Lavatory with Integral Spout, Overflow and Soap Depression; Single Twice Fired Vitreous China Pedestal Leg; Wall Brackets; Combination Compression Supply Fixture with "SECURO" Direct Lift Waste, having Four-Arm Indexed All-China Handles and Escutcheons on Valves and China Knob on Waste; $\frac{3}{8}$ -inch Iron Pipe Size and Weight Supplies to Wall with Compression Stops having Wheel Handles and Metal Wall Flanges; $1\frac{1}{4}$ -inch "P" Trap with Nipple and Metal Wall Flange. All exposed metal parts are Nickel Plated Brass.

Size Slab.....	Inches	22x27	21x24
Size Bowl.....	Inches	12x17	12x16
As Described.....	Each	\$84.50	\$72.00



C 600-M1

Crane "IDALIA" Twice Fired Vitreous China Lavatory with Overflow and Soap Depression; Single Twice Fired Vitreous China Pedestal Leg; Wall Brackets; Combination Compression Supply Fixture with "SECURO" Direct Lift Waste; Metal Spout with Shampoo Connection, Four-Arm Indexed All-China Handles and Escutcheons on Valves and China Knob on Waste; 3/8-inch Iron Pipe Size and Weight Supplies to Wall with Compression Stops having Wheel Handles and Metal Wall Flanges; 1 1/4-inch "P" Trap with Nipple and Metal Wall Flange. All exposed metal parts are Nickel Plated Brass.

Size Slab.....	Inches	22x27	21x24
Size Bowl.....	Inches	12x17	12x16
As Described.....	Each	\$77.00	\$64.50



C 600-S1

Crane "IDALIA" Twice Fired Vitreous China Lavatory with Overflow and Soap Depression; Single Twice Fired Vitreous China Pedestal Leg; Wall Brackets; "AGILIS" Quick Compression Double Lavatory Faucet with Indexed China Lever Handles; "SECURO" Direct Lift Waste with China Knob; China Lipped Soap Dish; $\frac{3}{8}$ -inch Iron Pipe Size and Weight Supplies to Wall with Compression Stops having Wheel Handles and Metal Wall Flanges; $1\frac{1}{4}$ -inch "P" Trap with Nipple and Metal Wall Flange. All exposed metal parts are Nickel Plated Brass.

Size Slab.....	Inches	22x27	21x24	
Size Bowl.....	Inches	12x17	12x16	
As Described.....	Each	\$76.50	\$63.00	



C 600-S4

Crane "IDALIA" Twice Fired Vitreous China Lavatory with Overflow and Soap Depression; Single Twice Fired Vitreous China Pedestal-Leg; Wall Brackets; "TELSA JR" Compression Lavatory Faucets with Four-Ball China Indexed Handles; "SECURO" Direct Lift Waste with China Knob; $\frac{3}{8}$ -inch Iron Pipe Size and Weight Supplies to Wall with Compression Stops having Wheel Handles and Metal Wall Flanges; $1\frac{1}{4}$ -inch "P" Trap with Nipple and Metal Wall Flange. All exposed metal parts are Nickel Plated Brass.

Size Slab.....	Inches	22x27	21x24	18x20
Size Bowl.....	Inches	13x17	12x17	11x14
As Described.....	Each	\$65.00	\$52.00	\$47.00



C 600-P5

Crane "IDALIA" Twice Fired Vitreous China Lavatory with Overflow and Soap Depression; Single Twice Fired Vitreous China Pedestal Leg; Wall Brackets; "TELSA JR" Compression Lavatory Faucets with Four-Ball China Indexed Handles; Patent Overflow Plug, Chain Stay, Chain and Rubber Stopper; $\frac{3}{8}$ -inch Iron Pipe Size and Weight Supplies to Wall with Compression Stops having Wheel Handles and Metal Wall Flanges; $1\frac{1}{4}$ -inch "P" Trap with Nipple and Metal Wall Flange. All exposed metal parts are Nickel Plated Brass.

Size Slab.....	Inches	22x27	21x24	18x20
Size Bowl.....	Inches	13x17	12x18	11x14
As Described.....	Each	\$58.00	\$45.00	\$40.00



C 730-X

Crane Twice Fired Vitreous China Round Front Lavatory with 4 inch Integral Back, Overflow and Soap Depression; Concealed Hanger; "TELSA Jr" Compression Lavatory Faucets with Four-Ball China Indexed Handles; Patent Overflow Plug, Chain Stay, Chain and Rubber Stopper; 3/8-inch Iron Pipe Size and Weight Supplies to Wall with Compression Stops having Wheel Handles and Metal Wall Flanges; 1 1/4-inch "P" Trap with Nipple and Metal Wall Flange. All exposed metal parts are Nickel Plated Brass.

Size Slab.....	Inches	16x20
Size Bowl.....	Inches	9 1/2x16
As Described.....	Each	\$30.00



C 750-X

Crane Twice Fired Vitreous China Round Front Lavatory with $4\frac{3}{4}$ -inch Integral Back, Overflow and Soap Depression; Concealed Hanger; "TELSA Jr" Compression Lavatory Faucets with Four-Ball China Indexed Handles; Patent Overflow Plug, Chain Stay, Chain and Rubber Stopper; $\frac{3}{8}$ -inch Iron Pipe Size and Weight Supplies to Wall with Compression Stops having Wheel Handles and Metal Wall Flanges; $1\frac{1}{4}$ -inch "P" Trap with Nipple and Metal Wall Flange. All exposed metal parts are Nickel Plated Brass.

Size Slab.....	Inches	15x18
Size Bowl.....	Inches	$9\frac{1}{2}$ x $15\frac{1}{2}$
As Described.....	Each	\$24.50



C 750-M1

Crane "CLERMONT" Twice Fired Vitreous China Lavatory with Integral Back, Overflow and Soap Depression; Concealed Hanger; Combination Compression Supply Fixture with "SECURO" Direct Lift Waste, Metal Spout with Shampoo Connection, Four-Arm Indexed All-China Handles and Escutcheons on Valves and China Knob on Waste; $\frac{3}{8}$ -inch Iron Pipe Size and Weight Supplies to Wall with Compression Stops having Wheel Handles and Metal Wall Flanges; $1\frac{1}{4}$ -inch "P" Trap with Nipple and Metal Wall Flange. All exposed metal parts are Nickel Plated Brass.

Size Slab.....	Inches	21x24
Size Bowl.....	Inches	12x16
Height Back.....	Inches	7
As Described.....	Each	\$60.00



C 750-S1

Crane “CLERMONT” Twice Fired Vitreous China Lavatory with Integral Back, Overflow and Soap Depression; Concealed Hanger; “AGILIS” Quick Compression Double Lavatory Faucet with Indexed China Lever Handles; “SECURO” Direct Lift Waste with China Knob; China Lipped Soap Dish; 3⁄8-inch Iron Pipe Size and Weight Supplies to Wall with Compression Stops having Wheel Handles and Metal Wall Flanges; 1¼-inch “P” Trap with Nipple and Metal Wall Flange. All exposed metal parts are Nickel Plated Brass.

Size Slab.....	Inches	21x24
Size Bowl.....	Inches	12x16
Height Back.....	Inches	7
As Described.....	Each	\$60.00



C 750-S5

Crane "CLERMONT" Twice Fired Vitreous China Lavatory with Integral Back Overflow and Soap Depression; Concealed Hanger; "TELSA Jr" Compression Lavatory Faucets with Four-Ball China Indexed Handles; "SECURO" Direct Lift Waste with China Knob; $\frac{3}{8}$ -inch Iron Pipe Size and Weight Supplies to Wall with Compression Stops having Wheel Handles and Metal Wall Flanges; $1\frac{1}{4}$ -inch "P" Trap with Nipple and Metal Wall Flange. All exposed metal parts are Nickel Plated Brass.


Size Slab.....	Inches	21x24	18x20
Size Bowl.....	Inches	12x16	11x14
Height Back.....	Inches	7	6
As Described.....	Each	\$50.00	\$40.00



C 770-P5

Crane “CLERMONT” Twice Fired Vitreous China Lavatory with Integral Back Overflow and Soap Depression; Concealed Hanger; “TELSA Jr” Compression Lavatory Faucets with Four-Ball China Indexed Handles; Patent Overflow Plug, Chain, Stay, Chain and Rubber Stopper; 3⁄8-inch Pipe Size and Weight Supplies to Wall with Compression Stops having Wheel Handles and Metal Wall Flanges; 1¼-inch “P” Trap with Nipple and Metal Wall Flange. All exposed metal parts are Nickel Plated Brass.

Size Slab.....	Inches	21x24	18x20
Size Bowl.....	Inches	12x16	11x14
Height Back.....	Inches	7	6
As Described.....	Each	\$44.00	\$34.00




C 2010-S3

**“MAJESTIC”
ENAMELED IRON LAVATORY**

Crane “Majestic” Porcelain Enameled Iron Pedestal Lavatory with Integral Over-flow; “TELSA Jr” Compression Lavatory Faucets with Indexed All-China Handles; “SECURO” Direct Lift waste with China Knob; $\frac{3}{8}$ -inch Iron Pipe size and weight Supplies to Wall with Compression Stops having Wheel Handles and Metal Wall Flanges; $1\frac{1}{4}$ -inch “P” Trap with Nipple and Metal Wall Flange. All exposed metal parts are Nickel Plated Brass.

Size Slab.....	Inches	20x24	22x27
Size Bowl.....	Inches	12x16	13x17
Approximate Weight.....	Pounds	220	235
With “Securo” Waste only.....	Each	\$44.00	\$55.00
As Described.....	Each	\$58.00	\$69.00



C 2200

“NEVADA”
ENAMELED IRON
LAVATORY


Crane “NEVADA” Porcelain En-ameled Iron One-Piece Lavatory with Integral Back and Overflow; Concealed Hanger; “Telsa Jr.” Compression Lavatory Faucets with Four-Ball China Indexed Handles; “SECURO” Direct Lift Waste with China Knob; 3⁄8-inch Iron Pipe Size and Weight Supplies to Wall with Compression Stops having Wheel Handles and Metal Wall Flanges; 1¼-inch “P” Trap with Nipple and Metal Wall Flange. All exposed metal parts are Nickel Plated Brass.

DIMENSIONS

Size Slab.....	Inches	18x24	20x24
Size Bowl.....	Inches	11x16	12x15
Height Back.....	Inches	10	12
Approximate Weight.....	Pounds	130	135
As Described.....	Each	\$43.50	\$48.00
With “Securo” Waste only.....	Each	\$31.00	\$34.50

“NEVADA” ENAMELED
IRON LAVATORY

Crane “NEVADA” Porcelain En-ameled Iron One-Piece Lavatory with Integral Back and Overflow; Concealed Hanger; “TELSA Jr” Compression Lavatory Faucets with Four-Ball China Indexed Handles; Patent Overflow Plug, Chain Stay, Chain and Rubber Stopper; 3⁄8-inch Iron Pipe Size and Weight Supplies to Wall with Compression Stops having Wheel Handles and Metal Wall Flanges; 1¼-inch “P” Trap with Nipple and Metal Wall Flange. All exposed metal parts are Nickel Plated Brass.




C 2210-P5

DIMENSIONS

Size Slab.....	Inches	17x21	18x24	20x24	22x27
Size Bowl.....	Inches	11x14	11x16	12x15	14x18
Height Back.....	Inches	8	10	12	12
Approximate Weight.....	Pounds	100	125	145	175
As Described.....	Each	\$31.00	\$33.00	\$38.00	\$48.00
Without Fittings.....	Each	\$18.00	\$20.00	\$25.00	\$30.00

"NORFOLK" ENAMELED IRON LAVATORY

Crane "NORFOLK" Porcelain Enameled Iron One-Piece Lavatory with Integral Back and Overflow; Concealed Hanger; "TELSA Jr" Compression Lavatory Faucets with Four-Ball China Indexed Handles; Patent Overflow Plug, Chain Stay, Chain and Rubber Stopper; $\frac{3}{8}$ -inch Iron Pipe Size and Weight Supplies to Wall with Compression Stops having Wheel Handles and Metal Wall Flanges; $1\frac{1}{4}$ -inch "P" Trap with Nipple and Metal Wall Flange. All exposed metal parts are Nickel Plated Brass.




C 2250-P5

DIMENSIONS

Size Slab.....	Inches	17x19	18x21
Size Bowl.....	Inches	10 $\frac{1}{2}$ x14 $\frac{1}{2}$	10 $\frac{1}{2}$ x16 $\frac{1}{2}$
Height Back.....	Inches	6	8
Approximate Weight.....	Pounds	80	95
As Described.....	Each	\$27.00	\$29.00
Without Fittings.....	Each	\$14.00	\$16.00

"FAIRFAX" ENAMELED IRON LAVATORY




C 2400-P5

Crane "FAIRFAX" Porcelain Enameled Iron One-Piece Lavatory with Integral Back and Overflow; Concealed Hanger; "TELSA Jr" Compression Lavatory Faucets with Four-Ball China Indexed Handles; Patent Overflow Plug, Chain Stay, Chain and Rubber Stopper; $\frac{3}{8}$ -inch Iron Pipe Size and Weight Supplies to Wall with Compression Stops having Wheel Handles and Metal Wall Flanges; $1\frac{1}{4}$ -inch "P" Trap with Nipple and Metal Wall Flange. All exposed metal parts are Nickel Plated Brass.

Size Slab.....	Inches.	17x19	18x21
Size Bowl.....	Inches	11x14	12x15
Height Back....	Inches	6	8
Approx. Wt. .	Pounds.	75	90
As Described....	Each	\$24.00	\$26.50
Without Fittings.	Each	\$11.00	\$13.50

“KENMAR”

ENAMELED IRON LAVATORY



C 2330 P5

Crane “KENMAR” Porcelain Enameled Iron One-Piece Corner Lavatory with Integral Back and Overflow; Concealed Hanger; “TELSA Jr” Compression Lavatory Faucets with Four-Ball China Indexed Handles; Patent Overflow Plug; Chain Stay, Chain and Rubber Stopper; 3⁄8-inch Iron Pipe Size and Weight Supplies to Wall with Compression Stops having Wheel Handles and Metal Wall Flanges; 1¼-inch “P” Trap with Nipple and Metal Wall Flange. All exposed metal parts are Nickel Plated Brass.


Lengths on Side	Inches	16½
Bowl	Inches	11x14
Approximate Weight Pounds		105
Without Fittings	Each	\$18.00
As Described	Each	\$31.00

“EATON”


ENAMELED IRON LAVATORY

Crane “EATON” Porcelain Enameled Iron One-Piece Corner Lavatory with Integral Back and Overflow; Concealed Hanger; “TELSA Jr” Compression Lavatory Faucets with Four-Ball China Indexed Handles; Patent Overflow Plug; Chain Stay, Chain and Rubber Stopper; 3⁄8-inch Iron Pipe Size and Weight Supplies to Wall with Compression Stops having Wheel Handles and Metal Wall Flanges; 1¼-inch “P” Trap with Nipple and Metal Wall Flange. All exposed metal parts are Nickel Plated Brass.

Length on Side	Inches	16½
Bowl	Inches	11x14
Approximate Weight Pounds		90
Without Fittings	Each	\$13.00
As Described	Each	\$26.00



C 2348 P5



C 3000

“LINOVUS” WHITE PORCELAIN BATH

Crane “Linovus” Light-Weight Solid Porcelain Corner Bath, Glazed White Inside and Outside, to build in at Back, End and Floor, Concealed Combination Compression Top Bell Supply and Waste Fixture with Four Arm Indexed All China Handles and China Escutcheons. All exposed metal parts are Nickel Plated Brass.


Nominal Sizes.....	Feet	5	5½
Approximate Weight.....	Pounds	950	1000
As Described, Regular selection.....	Each	\$208.00	\$225.00
As Described, Special selection.....	Each	\$256.00	\$277.00

Vitroware Hand Rails, extra.

The “Linovus” Bath can also be furnished for Left Hand Corner or for Recess with Fixtures in either End. When ordering, always state if for Right or Left Hand Corner.

DIMENSIONS

Width over rim.....	29 Inches
Depth inside.....	17 Inches
Height.....	19½ Inches



C 3040

**“LINOVA”
WHITE PORCELAIN BATH**

Crane “Linova” Light-Weight Solid Porcelain Recess Bath, Glazed White Inside and Outside, to build in at Back, Two Ends and Floor; Concealed Combination Compression Top Bell Supply and Waste Fixture with Indexed All China Handles and China Escutcheons on Valves and Waste.

Nominal Sizes.....	Feet	5	5½
Approximate Weight.....	Pounds	900	950
As Described, Regular Selection.....	Each	\$192.00	\$210.00
As Described, Special Selection.....	Each	\$234.00	\$258.00

Hand Rails, extra.

The “Linova” Bath can be furnished with Waste and Fixtures at either left hand end as shown, or right hand end. Always specify which is wanted.

DIMENSIONS


Width Over Rim.....	29	Inches
Depth Inside.....	17	Inches
Height.....	19½	Inches



C 3276-LE1

Crane "MODUS" One-Piece Porcelain Enameled Iron Slope End Apron Corner Bath for Left Hand Corner with Outlet at Left Hand End; Concealed Combination Compression Top Bell Supply and Standing Waste Fixture at Left-Hand End with 2-inch Waste Barrel; ½-inch Supply Valves with Renewable Seats, Four-Arm Indexed All-China Handles and China Escutcheons. All exposed metal parts are Nickel Plated Brass.

Sizes.....	Feet	5	5½
Approx. Shipping Wt.....	Pounds	480	520
Width overall.....	Inches	30	30
Depth inside.....	Inches	17	17
As Described.....	Each	\$120.00	\$126.00




C 3276-LE2

Crane “MODUS” One-Piece Porcelain Enameled Iron Slope End Apron Corner Bath for Left Hand Corner with Outlet at Left Hand End; Concealed Combination Over-rim Spout Supply Fixture at End with 1/2-inch Compression Supply Valves with Renewable Seats, Four-Arm Indexed All-China Handles and China Escutcheons; 1 1/2-inch Connected Waste and Overflow with Chain and Rubber Stopper. All exposed metal parts are Nickel Plated Brass.

Sizes.....	Feet	5	5 1/2
Approx. Shipping Wt.....	Pounds	480	520
Width overall.....	Inches	30	30
Depth Inside.....	Inches	17	17
As Described.....	Each	\$112.00	\$118.00

“CORWITH” ENAMELED IRON APRON BATHS
(PATENTED)




C 3284-RE1

C-3284-RE1 with Concealed Combination Compression Top Bell Supply and Standing Waste Fixture at Right Hand End, with 2-inch Waste Barrel, ½-inch Valves with Renewable Seats, Four-Arm Indexed All-China Handles and China Escutcheons, Utility Cup-board with Door should be provided for fixture.

Sizes	Feet	4½	5	5½	6
Approx. Shipping Wt.	Pounds	535	595	655	715
Width Overall	Inches	30½	30½	30½	30½
Length Overall	Inches	54	60	66	72
Height Overall	Inches	18	18	18	18
As Described	Each	P.O.A.	\$135.00	\$142.50	P.O.A.

C-3284-RE2 with Concealed Combination Overrim Spout Supply Fixture at Right Hand End, with ½-inch Compression Valves with Renewable Seats, Four-Arm Indexed All-China Handles and China Escutcheons, 1½-inch Connected Waste and Overflow with Chain and Solid Rubber Stopper.



C 3284-RE2

Sizes	Feet	4½	5	5½	6
Approx. Shipping Wt.	Pounds	535	595	655	715
Width Overall	Inches	30½	30½	30½	30½
Length Overall	Inches	54	60	66	72
Height Overall	Inches	18	18	18	18
As Described	Each	P.O.A.	\$126.00	\$134.00	P.O.A.


NOTE:—Specify letters LE1 or LE2 if fittings are required at left Hand End.



C 3302-LE1

Crane "MODUS" One-Piece Porcelain Enameled Iron Slope End Apron Recess Bath with Outlet at Left Hand End; Concealed Combination Compression Top Bell Supply and Standing Waste Fixture at Left Hand End with 2-inch Waste Barrel, 1/2-inch Supply Valves with Renewable Seats, Four-Arm Indexed All-China Handles and China Escutcheons. All exposed metal parts are Nickel Plated Brass.

Sizes.....	Feet	5	5½
Approx. Shipping Wt.....	Pounds	480	520
Width over all.....	Inches	30	30
Depth inside.....	Inches	17	17
As Described.....	Each	\$110.00	\$118.00




C 3302-LE2

Crane "MODUS" One-Piece Porcelain Enameled Iron Slope End Apron Recess Bath, with Outlet at Left Hand End; Concealed Combination Over-rim Spout Supply Fixture at End with 1/2-inch Compression Supply Valves with Renewable Seats; Four-Arm Indexed All-China Handles and China Escutcheons; 1 1/2-inch Connected Waste and Overflow with Chain and Rubber Stopper. All exposed metal parts are Nickel Plated Brass.

Sizes.....	Feet	5	5 1/2
Approx. Shipping Wt.....	Pounds	480	520
Width Overall.....	Inches	30	30
Depth Inside.....	Inches	17	17
As Described.....	Each	\$102.00	\$109.00

“CORWITH” ENAMELED IRON APRON BATHS
 (PATENTED)




C 3308-LE1

C 3308-LE1 with Concealed Combination Compression Top Bell Supply and Standing Waste Fixture at Left Hand End, with 2-inch Waste Barrel; ½-inch Valves with Renewable Seats, Four-Arm Indexed All-China Handles and China Escutcheons.

Utility Cupboard with Door should be provided for Fixture.

Sizes.....	Feet	4½	5	5½	6
Approx. Shipping Wt.....	Pounds	505	555	620	670
Width Overall.....	Inches	30½	30½	30½	30½
Length Overall.....	Inches	54	60	66	72
Height Overall.....	Inches	18	18	18	18
As Described.....	Each	\$120.00	\$124.00	\$133.00	\$170.00


C 3308-LE2 with Concealed Combination Compression Overrim Spout Supply Fixture at Left Hand End, with ½-inch Valves with Renewable Seats, Four-Arm Indexed All-China Handles and China Escutcheons; 1½-inch Connected Waste and Overflow with Chain and Solid Rubber Stopper.



C 3308-LE2

Sizes.....	Feet	4½	5	5½	6
Approx. Shipping Wt.....	Pounds	505	555	620	670
Width Overall.....	Inches	30½	30½	30½	30½
Length Overall.....	Inches	54	60	66	72
Height Overall.....	Inches	18	18	18	18
As Described.....	Each	\$112.00	\$116.00	\$125.00	\$162.00


NOTE:—Specify letters RE1 or RE2 if fittings are required at Right Hand End.



C 3330-E1

Crane "TARNIA" One-Piece Porcelain Enameled Iron Slope End Reversible Bath, with Legs and End Outlet; to build into Corner and arranged for Tiled Front and End Panel; Concealed Combination Compression Top Bell Supply and Standing Waste at End with 2-inch Waste Barrel, 1/2-inch Supply Valves with Renewable Seats, Four-Arm Indexed All-China Handles and China Escutcheons. All exposed metal parts are Nickel Plated Brass.

Sizes.....	Feet	5'0''	5'6''	6'0''
Approximate Weight Shipping.....	Pounds	380	410	430
Width Overall.....	Inches	32	32	32
Depth Inside.....	Inches	17	17	17
As Described.....	Each	\$120.00	\$129.00	\$145.00




C 3336-E2

Crane “TARNIA” One-Piece Porcelain Enameled Iron Slope End Reversible Bath with Legs and End Outlet, to build into Recess and arranged for Tiled Front Panel; Concealed Combination Over-rim Spout Supply Fixture at End with ½-inch Compression Supply Valves with Renewable Seats; Four-Arm Indexed All-China Handles and China Escutcheons; 1½-inch Connected Waste and Overflow with China and Rubber Stopper. All exposed metal parts are Nickel Plated Brass.

Size	Feet	5	5½	6
Approximate Shipping Weights	Pounds	380	410	430
Width Over-All	Inches	32	32	32
Depth Inside	Inches	17	17	17
As Described		\$108.00	\$117.00	\$133.00

“VERNA” ENAMELED IRON BATHS



C 3370-RE1


C-3370-RE1 with Concealed Combination Compression Top Bell Supply and Standing Waste Fixture at Right Hand End, with 2-inch Waste Barrel, 1/2-inch Valves with Renewable Seats, Four-Arm Indexed All-China Handles and China Escutcheons. Utility Cupboard with Door should be provided for Fixture.

Nominal Sizes	Feet	4½	5	5½
Approx. Shipping Wt.	Pounds	390	410	455
As Described	Each	\$90.00	\$92.50	\$101.00

“DORIS” ENAMELED IRON BATHS

ON BASE WITH 3-INCH ROLL RIM

C-3400-E8 with “TELSA” Compression Double Bath Faucet with Shampoo Connection and Four-Ball China Indexed Handles; 1⅜-inch Connected Waste and Overflow with Chain and Rubber Stopper; ⅜-inch Iron Pipe Size and Weight Offset Supplies to Floor with Metal Floor Flanges.




C 3400-E8

Sizes	Feet	4	4½	5	5½	6
Approx. Ship. Wt.	Pounds	280	320	340	395	470
As Described	Each	\$64.00	\$65.00	\$66.00	\$71.50	\$85.50

“DORIS” ENAMELED IRON BATHS

ON FEET WITH 3-INCH ROLL RIM


C-3442-E8 with “TELSA” Compression Double Bath Faucet with Shampoo Connection and Four-Ball China Indexed Handles; 1⅜-inch Connected Waste and Overflow with Chain and Rubber Stopper; ⅜-inch Iron Pipe Size and Weight Offset Supplies to Floor with Metal Floor Flanges.



C 3442-E8

Sizes	Feet	4	4½	5	5½	6
Approx. Ship. Wt.	Pounds	280	320	340	395	470
As Described	Each	\$55.50	\$55.50	\$55.50	\$60.50	\$74.00

NOTE:—If Baths on feet desired with 2-inch Roll Rim special C-3464-E 8.



C 4350

CRANE PORTABLE SHOWER


Crane Portable Shower with Patented Clip Faucet Attachment; Cloth Inserted Rubber Tubing; Wall Support; Brass Riser Pipe; 24-inch diameter Curtain Ring with Wall Flange; White Duck Curtain; Snap Hooks; Hold Back Hook; Needle Head with Ell and Arm. All exposed metal parts are Nickel Plated Brass.

Approximate Weight.....Pounds	40
As Described.....Each	\$26.00


CRANE CONCEALED SHOWER

Crane Shower with Crane Concealed Mixing Valve, having China Wall Plate and China Handle, Loose Key Controlling Valves on Supplies, with China Escutcheons; Cast Brass Shower Head with Removable Face and Adjustable Ball Joint, Bent Shower Arm and Cast Brass Wall Flange. Loose Key Controlling Valves permit the volume of either hot or cold water to be reduced or entirely shut off without interfering with other fixtures. All exposed metal parts are Nickel Plated Brass.

Approximate Weight.....Pounds	40
As Described.....Each	\$40.00



C 4360



C 4378

CRANE CONCEALED SHOWER


Crane Shower with Crane Concealed Mixing Valve, having China Handle and Metal Wall Plate; Cast Brass Shower Head with Removable Face and Adjustable Ball Joint, Bent Shower Arm and Cast Brass Wall Flange. All exposed metal parts are Nickel Plated Brass.

Approximate Weight.....Pounds	30
As Described.....Each	\$27.00


CRANE CONCEALED SHOWER

Crane Shower with Concealed Operating Valves which may be repacked or rewashed from the front, having China Escutcheons and China Handles; Cast Brass Shower Head with Removable Face, Adjustable Ball Joint, Bent Shower Arm and Cast Wall Flange. All exposed metal parts are Nickel Plated Brass.

Approximate Weight.....Pounds	35
As Described.....Each	\$14.00



C 4400



C 4436

CRANE EXPOSED SHOWER


Crane Shower with Crane Mixing Valve, China Handle with Lockshield Corner Valves with Union Couplings to Wall, with Cast Brass Escutcheons; Gooseneck Discharge Pipe with Supporting Strap, Cast Brass Shower Head with Adjustable Ball Joint and Removable Face. All exposed metal parts are Nickel Plated Brass.

Approximate Weight.....	Pounds	30
As Described.....	Each	\$42.00
Same as above, but less Loose Key Controlling Valves on Supplies.....	Each	\$40.00

CRANE EXPOSED SHOWER


Crane Brass Shower with Gooseneck Discharge and Ball Joint Needle Head with Removable Face, Supplies from Wall having Wall Escutcheons. All exposed metal parts are Nickel Plated Brass.

Approximate Weight.....	Pounds	40
As Described.....	Each	\$25.00



C 4464


CRANE SHOWER TRIMMINGS



C 4950

Crane Nickel Plated Curtain Rod with large flange on each end, One-Piece White Duck Curtain; Nickel Plated Snaps and Hold-Back Hook. No Ceiling Braces Required. Can be used in either Right or Left Hand Corners. Rod 28 inches wide.


For 5'0" Tub.....	Each	\$15.50
" 5'6" Tub.....	Each	\$16.75



C 4962

Crane Nickel Plated 1 1/8-inch Curtain Rod with Cast Brass Wall Flanges and Snap Hooks.

As Described for Recess Stalls up to 3 feet. Complete.....	Each	\$4.00
For each additional Foot. Add per Foot.....		.75



C 4980




C 4982

Crane Nickel Plated Curtain Hooks and Curtain Snap Hooks.

Price (For Rod or Ring up to 1 1/4 inches O.D.)

Per Dozen :

C-4980.....	\$1.00
C-4982.....	1.25



C 4970

Crane Shower Bath Curtains with Triple Tuck and Nickel Plated Brass Grommets. Made to special sizes from White Duck, Rubber or Silk.

Price on application, according to size required.
Stock sizes, 6 feet 6 inches wide by 6 feet long.

CRANE PLUMBING EQUIPMENT FOR HOSPITALS


THE necessity for the accommodation and proper handling of surgical cases, as well as the treatment of various diseases, has created a demand for many new hospitals and the enlargement, remodeling and improvement of the old ones.

No attempt has been made in this catalogue to show the line of Crane Hospital Plumbing, but a special catalogue known as No. 605-C and devoted exclusively to the latest Plumbing equipment for the needs of institutions of all types will be forwarded upon request to the nearest Crane Branch.

A representative line of Crane Fixtures for Hospitals is on display at our Exhibit Rooms with experts in charge to assist in solving the problem of the proper appliances in each case.

DOMINION EXHIBIT ROOMS

MONTREAL, QUE.....	1170 Beaver Hall Square
OTTAWA, ONT.....	142 Bank Street
VICTORIA, B.C.....	901 Government Street



C 9030

“TYRONE” DRINKING FOUNTAIN

Crane “Tyrone” Heavy Vitroware Pedestal Drinking Fountain with Extra Large Bowl; Heavy Vitroware Non-Squirting Head and Strainer with Concealed Regulating Screw; Cast Brass Supply and Waste Connection; $\frac{1}{4}$ -inch Iron Pipe Supply to Floor with “Triumph” Ball Bearing Self-Closing Stop with Finishing Flange, Compression Loose Key Stop with Finishing Flange and Union Connection for $\frac{3}{8}$ -inch Iron Pipe at Floor; 1-inch Iron Pipe Waste to Floor; Cast Brass Floor Bolts with Cap Nuts; China Bolt Caps. All exposed metal parts are Nickel Plated Brass.

As Described, 36 inch high.....	Each	\$80.00
As Described, 30 inch high.....	Each	74.00

Galvanized Cast Iron Base furnished when specified.

DIMENSIONS

Width of Bowl, Outside.....	14 inches
Height to Top of Pedestal.....	30 or 36 inches
Depth of Bowl, Inside.....	$4\frac{1}{2}$ inches
Width of Pedestal at Floor over Flats of Octagon..	14 inches


Note—36-inch Fountains will be shipped if height is not specified on order.

“TYRONE” VITROWARE ANGLE STREAM PEDESTAL DRINKING FOUNTAIN

Crane “Tyrone” Heavy Vitroware Pedestal Drinking Fountain with 14-inch Diameter Bowl with Integral Angle Bubbler and Protecting Cowl; Vitroware Strainer; Cast Brass Supply and Waste Connection; Iron Pipe Supply to Floor with “Triumph” Ball-Bearing Self-Closing Stop; Compression Loose Key Stop with Finishing Flange and Union Connection for $\frac{3}{8}$ -inch Iron Pipe; 1-inch Iron Pipe Waste to Floor; Floor Screws with Cap Nuts and China Bolt Caps. All exposed metal parts are Nickel Plated Brass.

As Described, 36 inch high.....	Each	\$90.00
As Described, 30 inch high.....	Each	80.00


NOTE.—36-inch Fountains will be shipped if height is not specified on order.



C 9034

"CRETA" VITROWARE ANGLE STREAM DRINKING FOUNTAIN

WITH INTEGRAL TRAP HOUSING SELF-CLOSING



C 9080

Crane "Creta" Vitroware Wall Drinking Fountain with Integral Angle Stream Bubbler and Protecting Cowl, and Integral Trap Housing; Vitroware Strainer; 1 $\frac{1}{4}$ -inch Galvanized Cast Iron Trap to Wall; Galvanized Iron Supply to Wall with "Triumph" Ball-Bearing Self-Closing Stop with Four-Arm Handle; Loose Key Stop and Union Connection for $\frac{1}{4}$ -inch Iron Pipe at Wall; Wall Expansion Bolts. All exposed metal parts are Nickel Plated Brass.

As Described.....Each \$52.00

DIMENSIONS

Diameter of Bowl.....12 inches
Depth of Bowl.....3 $\frac{1}{2}$ inches
Wall to Front of Bowl.....16 inches


"CRETA" DRINKING FOUNTAIN

Crane "Creta" Vitroware Wall Drinking Fountain; Heavy Vitroware Non-Squirting Head and Strainer with Brass Strainer Connection and Concealed Regulating Screw; Galvanized Cast Iron Trap to Wall with Supply Connection; Galvanized Iron Supply to Wall with "Triumph" Ball-Bearing Self-Closing Stop with Four-Arm Handle, Loose Key Stop and Union Connection for $\frac{1}{4}$ -inch Iron Pipe at Wall; Wall Expansion Bolts. All exposed metal parts are Nickel Plated Brass.

As Described.....Each \$49.00


DIMENSIONS

Diameter of Bowl.....12 inches
Depth of Bowl.....3 $\frac{1}{2}$ inches
Wall to Front of Bowl.....16 inches



C 9084

"YORK" **VITROWARE ANGLE STREAM** **WALL FOUNTAIN** **SELF-CLOSING**



C 9100

Crane "York" Vitroware Wall Drinking Fountain with Integral Angle Bubbler and Protecting Cowl; Integral Back and Return Ends; Vitroware Strainer; 1¼-inch Galvanized Cast Iron Trap to Wall; Galvanized Iron Supply Pipe to Wall with "Triumph" Ball-Bearing Self-Closing Stop with Four Arm Handle; Compression Loose Key Stop and Union Connection for ¼-inch Iron Pipe at Wall; Wall Supporting Bolts; China Bolt Caps. All exposed metal parts are Nickel Plated Brass.

As Described.....Each \$60.00

DIMENSIONS

	Inches
Width.....	11
Depth Front to Back...	13
Height of Back.....	7
Depth of Bowl.....	3½

"LUXTON" ANGLE STREAM **DRINKING FOUNTAIN** **SELF-CLOSING**


Crane "Luxton" Drinking Fountain with 12-inch Diameter Vitroware Bowl with Integral Angle Bubbler, with Protecting Cowl; Galvanized Iron Pedestal with Painted Base; Brass Strainer Connection; Galvanized Iron Waste Connection; "Triumph" Ball-Bearing Self-Closing Supply Valve; Compression Loose Key Stop Valve; 1-inch Galvanized Waste to Floor.

As Described.....Each \$33.00


DIMENSIONS

Height to top of Bowl.....	40	inches
Diameter of Bowl.....	12	inches
Depth of Bowl.....	3½	inches

This Fountain can also be furnished with Base and Pedestal Painted White Enamel finish when specified. Add Each, \$1.00.



C 9140



C 9144

"LUXTON" DRINKING FOUNTAIN

Crane "LUXTON" Drinking Fountain with 12-inch diameter Vitroware Bowl; Galvanized Iron Pedestal with Painted Base; Heavy Vitroware Non-Squirting Head and Strainer with Brass Strainer Connection, and Concealed Regulating Screw; Galvanized Iron Supply and Waste Connection; $\frac{3}{8}$ -inch Galvanized Iron Short Supply; 1-inch Galvanized Waste to Floor.

As Described, 40 inches high.....	Each	\$28.00
Can be furnished with Self-Closing Stop on Supply.....	Add	3.00
Can also be furnished with Pedestal and Base, painted White Enamel Finish.....	Add	\$1.00

"LUXTON" ANGLE STREAM DRINKING FOUNTAIN SELF-CLOSING


Crane "LUXTON" Drinking Fountain with 12-inch Diameter Vitroware Bowl with Integral Angle Bubbler, with Protecting Cowl; $\frac{3}{8}$ -inch Galvanized Supply to Wall with Chicago Union. "Triumph" Ball-Bearing Self-Closing Supply Valve, Loose Key Compression Stop, and Wall Flange; Brass Strainer Connection; Galvanized Iron Waste Connection; 1 $\frac{1}{4}$ -inch Galvanized "P" Trap with Waste to Wall; Nickel Plated Wall Flange.

As Described.....Each \$31.00

DIMENSIONS

Diameter of Bowl Outside.....12 inches
Depth of Bowl.....3 $\frac{1}{2}$ inches

NOTE.—This Fountain can also be furnished with Supply and Waste, painted White Enamel Finish when specified. Add each \$1.00.



C 9150


"LUXTON" DRINKING FOUNTAIN

Crane "LUXTON" Drinking Fountain with Vitroware Bowl; Special Heavy Vitroware Non-Squirting Head and Strainer with Brass Strainer Connection and Concealed Regulating Screw; Galvanized Supply and Waste Connection; $\frac{3}{8}$ -inch Galvanized Supply to Wall with Chicago Union; Self-Closing Stop and Wall Flange; 1 $\frac{1}{4}$ -inch Galvanized "P" Trap with Waste to Wall; Wall Flange.

As Described.....	Each	\$25.50
Add if Supply and Waste with Painted White Enamel Finish.....	Each	2.00
Deduct if less Self-Closing Stop on Supply.....		3.00

DIMENSIONS

Diameter of Bowl, outside.....12 inches
Depth of Bowl, inside.....3 $\frac{1}{2}$ inches



C 9154



C 10403

Crane “CORSYN” Heavy Twice Fired Vitreous China “NOISELESS” Syphon Jet Closet; Heavy Twice Fired Vitreous China Special Tank with Depressed Flat Cover Special Noiseless Rotary Bottom Supply Float Valve; Special Flush Valve; Double Acting All-China Operating Lever; $\frac{3}{8}$ ” I.P. Size Supply Pipe to Wall with Wheel Handle Compression Stop with Floor Flange; All White China Straight Flush Connection; All White Genuine Pyralin Seat and Cover with Concealed Hinge; Heavy Cast Brass Floor Flange with Gasket, Heavy Bolts, Nuts, Washers and China Bolt Caps.

Approx. Weight	Pounds	225
As Described	Each	\$120.00
As Described except with Concealed Back Supply Float Valve		\$118.00



C 10613

Crane "SANETO" Heavy Twice Fired Vitreous China Syphon Jet Closet; Heavy Twice Fired Vitreous China Tank; Hi-grade Bottom Supply Float Valve; Double Acting China Operating Lever; Flush Valve; $\frac{3}{8}$ -inch I.P. Size Supply to Floor with Wheel Handle Compression Stop and Floor Flange; 2-inch Off-set Flush Connection; Genuine White Pyralin Bar Hinge Seat and Cover; Heavy Brass Floor Flange, Gasket, Heavy Bolts, Nuts, Washers and China Bolt Caps.

Approx. Weight.....	Pounds	180
As Described.....	Each	\$55.00

“SANETO” SYPHON JET CLOSET
(PATENTED)



C 10674

Crane “SANETO” Twice-Fired Vitreous China Syphon Jet Closet with Extended Lip and Top Inlet; Exposed “Water Controlled” Direct Flushing Valve with China Oscillating Handle, 1-inch Straightway Stop, Metal Wall Flange with Adjustable Sleeve and 1½-inch Outside Diameter Straight Flush Connection with Coupling Nut and Spud Escutcheon; Ebony Finish Hard Rubber Open Front Serpentine Seat with Heavy Concealed Bar Check Hinge; Cast Brass Floor Flange with Rubber Gasket, Bolts, Screws and China Bolt Caps. All exposed metal parts are Nickel Plated Brass.

Approx. Wt.....	Pounds	100
As Described.....	Each	\$60.00

"SANETO" SYPHON JET CLOSET
(PATENTED)



C 10684

Crane "SANETO" Twice-Fired Vitreous China Syphon Jet Closet with Top Inlet; Exposed "Water Controlled" Direct Flushing Valve with China Oscillating Handle, Seat Bumper, 1-inch Angle Stop, Metal Wall Flange with Adjustable Sleeve and 1½-inch Outside Diameter Straight Flush Connection with Coupling Nut and Spud Escutcheon; 1½-inch White Sanitoure Finish Square Back Ring Seat and Cover with Bar Hinge; Cast Brass Floor Flange with Rubber Gasket, Bolts, Screws and China Bolt Caps. All exposed metal parts are Nickel Plated Brass.

Approx. Wt.....	Pounds	100
As Described.....	Each	\$52.00



C 11007

Crane "MAURETANIA" Heavy Twice Fired Vitreous China Reverse Trap Syphon Action Wash-down Closet with Jet; Heavy Twice Fired Vitreous China Tank; Hi-grade Bottom Supply Float Valve; Double Acting China Operating Lever; Flush Valve; $\frac{3}{8}$ -inch I.P. Size Supply to Wall with Wheel Handle Compression Stop and Wall Flange; 2-inch Elbow Flush Connection; Mahogany Finish Bar Hinge Seat and Cover; Heavy Brass Floor Flange, Gasket, Heavy Bolts, Nuts, Washers and China Bolt Caps.

Approx. Weight	Pounds	175
As Described	Each	\$41.50




C 11180

Crane "ILLINI" Heavy Twice Fired Vitreous China Syphon Action Wash-Down Closet; Heavy Twice Fired Vitreous China Tank; Hi-grade Bottom Supply Float Valve; Double Acting China Operating Lever; Flush Valve; $\frac{3}{8}$ " I.P. Size Supply to Floor and Floor Flange; 2" Elbow Flush Connection Mahogany Finish Bar Hinge Seat and Cover; Heavy Brass Floor Flange, Gasket, Heavy Bolts, Nuts, Washers and China Bolt Caps.

Approx. Weight.....	Pounds	175
As Described.....	Each	\$40.00

WHITE PORCELAIN URINAL STALLS



C 15550

Crane Light Weight White Porcelain Urinal Stalls with Integral Drip Receptors and Extended Shields; 3-inch Outlet Strainers; Fan Flush Spreaders; Vitroware Automatic Urinal Tank with Brass Knee Brackets; Flush Pipes with Supports. All exposed metal parts are Nickel Plated Brass.

	24" Size	18" Size
	Special Selection	Reg. Selection
Set of 3 Urinals, as described.....	\$ 325.00	\$275.00
Set of 2 Urinals, as described.....	220.00	190.00
Single Urinal, as described.....	120.00	105.00


If Vitroware Removable Gratings for Brass Strainers add per Stall \$2.00.

Approximate Weight 3 Urinals.....	Pounds	1450	1300
Approximate Weight 2 Urinals.....	Pounds	1100	1000
Approximate Weight Single Urinal.....	Pounds	550	500

DIMENSIONS

		24" Size	18" Size
Height over all.....	Inches	48"	45"
Depth below floor line.....	Inches	3½"	3½"

WHITE SOLID PORCELAIN URINAL STALLS



C 15556

Crane White Solid Porcelain Urinal Stalls with Integral Drip Receptors, Extended Shields and Top Inlets; Exposed “Water Controlled” Direct Flushing Valves with China Oscillating Handles, Angle Stops with 3⁄4-inch Iron Pipe Size Supply Connections Metal Wall Flanges with Adjustable Sleeves and 3⁄4-inch Outside Diameter Straight Flush Connections; Fan Flush Spreaders; 3-inch Cast Brass Waste Strainers. All exposed metal parts are Nickel Plated Brass.

	Battery 3			Battery 2			Single	
Width of Wall Inches	24	18		24	18		24	18
Height Overall Feet	4'0	3'9		4'0	3'9		4'0	3'9
Depth Below Floor Line . . Inches	3½	3½		3½	3½		3½	3½
Approx. Shp. Wt. Pounds	1800	1050		1200	700		600	350
As Described	\$355.50	\$306.00		\$237.00	\$204.00		\$118.50	\$102.00

Furnished in Regular Selection unless otherwise specified.

NOTE:—Flush Valves can be furnished with Push-Button or Nickel Plated Oscillating Handle when so specified.

WHITE SOLID PORCELAIN URINAL STALLS




C 15580

Crane White Solid Porcelain Urinal Stalls with Integral Drip Receptors and Top Inlets; Twice-Fired Vitreous China Automatic Urinal Tank with Brass Syphon Valve, Supply Valve with Hush Tube and Concealed Hanger; Brass Flush Pipe with Wall Supports; Fan Flush Spreaders; 3-inch Cast Brass Waste Strainers. All exposed metal parts are Nickel Plated Brass.

	Battery 3		Battery 2		Single	
Width of Stalls.....Inches	24	18	24	18	24	18
Height Overall.....Feet	4'0	3'9	4'0	3'9	4'0	3'9
Depth Below Floor Line...Inches	3½	3½	3½	3½	3½	3½
Approx. Shp. Wt.....Pounds	1700	1050	1150	720	600	380
As Described.....	\$300.00	\$260.00	\$207.00	\$178.00	\$114.00	\$99.75

Furnished in Regular Selection unless otherwise specified.

WHITE SOLID PORCELAIN URINAL STALLS



C 15584


Crane White Solid Porcelain Urinal Stalls with Integral Drip Receptors and Top Inlets; Exposed "Water Controlled" Direct Flushing Valves with China Oscillating Handles; Angle Stops with $\frac{3}{4}$ -inch Iron Pipe Size Supply Connections, Metal Wall Flanges with Adjustable Sleeves and $\frac{3}{4}$ -inch Outside Diameter Straight Flush Connections; Fan Flush Spreaders; 3-inch Cast Brass Waste Strainers. All exposed metal parts are Nickel Plated Brass.

NOTE:—Flush Valves can be furnished with Push-Button or Nickel Plated Oscillating Handle when so specified.

	Battery 3		Battery 2		Single	
Width of Stalls.....Inches	24	18	24	18	24	18
Height Overall.....Feet	4'0	3'9	4'0	3'9	4'0	3'9
Depth Below Floor Line...Inches	3½	3½	3½	3½	3½	3½
Approx. Shp. Wt.....Pounds	1650	990	1100	660	550	330
As Described.....	\$330.75	\$288.00	\$220.50	\$192.00	\$110.25	\$96.00

Furnished in Regular Selection unless otherwise specified.

DOUBLE DRAINBOARD SINK OF WHITE
SOLID PORCELAIN




C 19100-A

Crane White Solid Porcelain Roll Rim Kitchen Sink with Integral Back and Double Drainboards; White Solid Porcelain Legs with Supports to Wall; "AGILIS" Quick Compression Double Sink Faucet with China Soap Dish, Swinging Spout, Indexed China Lever Handles, Renewable Seats and Female Union Supply Connections, Cast Brass Waste Strainer with Coupling and Tailpiece; 1½-inch Cast Brass "P" Trap and Metal Wall Flange. All exposed metal parts are Nickel Plated Brass.
Furnished in Regular or Special Selection as specified.

Length Overall.....	Inches	72	60
Width Overall.....	Inches	23	23
Height Back.....	Inches	9½	9½
Approx. Wt.....	Pounds	1030	950
As Described.....	Each	\$214.00	\$196.00

ENAMELED IRON KITCHEN SINK



C 19180

Crane Porcelain Enameled Iron One Piece Apron Sink with Right and Left Hand Drainboards and 12-inch Integral Back; Porcelain Enameled Iron Adjustable Legs and Concealed Wall Hangers; "Agilis" Quick Compression Double Faucet with Swinging Spout and Indexed China Lever Handles; Waste Strainer; 1½-inch "P" Trap with Cleanout and Wall Escutcheon. All exposed metal parts are Nickel Plated Brass.

Size.....	Inches	22x26
Approximate Weight.....	Pounds	365
As Described.....	Each	\$144.00
Sink with Strainer Only.....	Each	\$128.00


APPROXIMATE DIMENSIONS

Size of Sink.....	Inches	22x26
Size of Drainboards.....	Inches	19x22
Length.....	Inches	60
Width.....	Inches	22

Legs regularly furnished are adjustable so that the sink may be set with Rim from 30 to 36 inches above the floor.

If Swing Spout Faucet is furnished with China Soap Dish add 2.00 to above prices.

ENAMELED IRON KITCHEN SINK



C 19190

Crane Porcelain Enameled Iron One Piece Apron Sink with Drainboard and 12-inch Integral Back; Porcelain Enameled Iron Adjustable Legs and Concealed Hangers; 1/2-inch Compression Adjustable Flange Plain Bibbs; Waste Strainer; 1 1/2-inch "P" Trap with Cleanout and Wall Escutcheon. All exposed metal parts are Nickel Plated Brass.

Size	Inches	20x30
Approximate Weight.....	Pounds	325
As Described.....	Each	\$98.00
Sink, with Strainer Only.....	Each	79.00


APPROXIMATE DIMENSIONS

Size of Sink.....	Inches	20x30
Size of Drainboard.....	Inches	20x24
Length.....	Inches	52 1/2
Width.....	Inches	20 1/4

Legs regularly furnished are adjustable, so that sink may be set with Rim from 30 to 36 inches above the floor.

These Sinks can be furnished with Drainboard on either Right or Left Hand Side. Specify which is wanted.

ENAMELED IRON KITCHENETTE SINK



C 19220

Crane Porcelain Enameled Iron One Piece Apron Sink with 12-inch Integral Back; Concealed Wall Hangers; 1/2-inch Compression Adjustable Flange Plain Bibbs; Waste Strainer; 1 1/2-inch "P" Trap with Cleanout and Wall Escutcheon. All exposed metal parts are Nickel Plated Brass.

Size.....	Inches	20x24
Approximate Weight.....	Pounds	225
As Described.....		\$64.00
Sink with Strainer only.....		55.00


APPROXIMATE DIMENSIONS

Size of Sink.....	20x24 inches
Size of Drainboard.....	20x20 inches
Length.....	42 1/2 inches
Width.....	20 1/4 inches

Sinks can be furnished with Drainboard on either Right or Left Hand End. Specify which is wanted.

ENAMELED IRON KITCHENETTE SINK

Crane Porcelain Enameled Iron One Piece Roll Rim Sink with 12-inch Integral Back; Concealed Wall Hangers; 1/2-inch Compression Adjustable Flange Plain Bibbs; Waste Strainer; 1 1/2-inch "P" Trap with Cleanout and Wall Escutcheon. All exposed metal parts are Nickel Plated Brass.



C 19230


Size.....	Inches	20x24
Approximate Weight.....	Pounds	195
As Described.....		\$55.00
Sink with Strainer only.....		46.00

APPROXIMATE DIMENSIONS

Size of Sink.....	20x24 inches
Size of Drainboard.....	20x20 inches
Length Over All.....	42 inches
Width Over All.....	20 1/4 inches

Sinks can be furnished with Drainboard on either Right or Left Hand End. Specify which is wanted.

CAST IRON FLAT RIM SINKS




C 19350

Crane Porcelain Enameled Iron Flat Rim Sink with Nickel Plated Brass Strainer and Follower. Sinks regularly furnished Painted Outside.

Size, Inches	Price Each	Approximate Weight, Pounds
12x18	\$ 6.25	29
14x20	7.25	32
16x24	8.00	43
18x24	9.50	46
18x30	11.00	56
18x36	13.00	66
20x30	12.00	64
20x36	14.00	76
20x40	19.00	82
24x48	25.00	115
20x60	63.00	140

Can be furnished with Plug Strainer at a slight Extra cost.

ENAMELED IRON SINK AND LAUNDRY TRAY COMBINATION



C 21130

Crane Porcelain Enameled Iron One-Piece Roll Rim Sink and Laundry Tray with Integral Back; Painted Iron Adjustable Pedestal and Concealed Hangers; Combination Ash Drainboard and Tray Cover with Hinges and Wall Hook; 1/2-inch Adjustable Flange Plain Bibbs; 1/2-inch Stub Pattern Compression Wash Tray Bibbs; Soap Dish on Tray; Waste Strainer with 1 1/2-inch Extension Tail Piece for Sink; Waste Plug with Rubber Stopper for Laundry Tray; 1 1/2-inch Continuous Waste with End Outlet; 1 1/2-inch "P" Trap and Wall Flange. All exposed metal parts are Nickel Plated Brass.

As Described.....	\$105.00
Sink and Tray with Drainboard Cover, Soap Dish and Strainers, only.....	85.00


Can be furnished with Sink on Left Hand Side when so ordered.
Can be furnished with Swinging Spout Faucet when so ordered.

DIMENSIONS

Length Over Rim (Sink and Tray).....	50 inches
Width: Outside.....	23 1/2 inches
Inside.....	19 1/4 inches
Length Inside (Each compartment).....	21 3/4 inches
Depth Inside: Sink.....	6 inches
Tray.....	13 3/8 inches
Height of Back.....	8 inches
Floor to Top of Rim.....	34 inches
Approximate shipping weight.....	350 Pounds

CRANE

ENAMELED IRON SINK AND LAUNDRY TRAY COMBINATION



C 21118-L

Crane Porcelain Enameled Iron One Piece Sink and Laundry Tray Combination with Integral Back and Apron; Painted Iron Adjustable Legs and Concealed Hangers; Combination Ash Drainboard and Tray Cover; 1/2-inch Adjustable Flange Plain Compression Bibbs for Sink; Stub Pattern Compression Tray Bibbs for Laundry Tray; Waste Strainer with Tail Piece for Sink; Waste Plug with Rubber Stopper for Tray; Continuous Waste with 1 1/2-inch "S" Trap to Floor. All exposed metal parts are Nickel Plated Brass.

Approximate Weight.....	Pounds	430
As Described.....	Each	\$149.00
Sink and Tray with Drainboard Cover and Strainer only.....	Each	129.00


Can be furnished with Sink on Right Hand Side and Tray on Left Hand Side at same price.

Can be furnished with Swinging Spout Faucet when so ordered.

DIMENSIONS

Sink Inside		Tray Inside		Overall	
Length.....Inches	22	Length.....Inches	22	Back.....Inches	10
Width.....Inches	17 1/2	Width.....Inches	17 1/2	Apron.....Inches	6
Depth.....Inches	7	Depth.....Inches	14	Length.....Inches	50
				Width.....Inches	22

ENAMELED IRON SINK AND LAUNDRY TRAY COMBINATION



C 21140

Crane Enameled Iron One-Piece Flat Rim Sink and Laundry Tray Combination with Integral Back. Supported on Painted Adjustable Sanitary Pedestal and Concealed Sink Bracket. 1/2-inch Nickel Plated Compression Adjustable Flange Faucets with Tee Handles and Open Strainer with Coupling; Laundry Tray fitted with 1/2-inch Nickel Plated Compression Adjustable Flange Wash Tray Faucets with Tee Handles; Waste Plug and Rubber Stopper, Combination Drain-Board and Tray Cover. Nickel Plated Continuous Waste and 1 1/2-inch "S" Trap. Furnished with outside painted one coat.

Approximate Weight.....	Pounds	300
As Described.....		\$74.00
Deduct if less Cover.....		7.50

APPROXIMATE DIMENSIONS

Sink: Outside, 21 1/2 x 22 7/8 inches; Inside, 18 1/2 x 20 3/4 inches; Depth, 7 1/2 inches.
Tray: Outside, 21 1/2 x 22 7/8 inches; Inside, 18 1/2 x 20 3/4 inches; Depth, 12 3/4 inches.
Length Overall, 45 3/4 inches; Back, 4 inches.

Can be furnished with Swinging Spout Faucet when so ordered.

ENAMELED IRON ONE-PIECE ROLL RIM SINK




C 19330-0

Crane Porcelain Enameled Iron One-Piece Roll Rim Sink with 12-inch Integral Back; Concealed Wall Hanger; 1/2-inch Nickel Plated Compression Adjustable Flange Faucets with Tee Handles; Nickel Plated Strainer; 1 1/2-inch Cast Iron Adjustable Trap.

Size	As Described
16x24 Inch.....	\$18.00
18x24 Inch.....	19.00
18x30 Inch.....	21.00
18x36 Inch.....	24.00
20x30 Inch.....	22.00
20x36 Inch.....	25.00
22x30 Inch.....	24.00
22x36 Inch.....	26.00
22x42 Inch.....	29.00

Trap may be obtained in Nickel Plated Brass at an extra charge of \$3.00.

ENAMELED IRON LAUNDRY TRAYS



C 21212


Crane Porcelain Enameled Iron One Piece Roll Rim Double Laundry Tray; Painted Iron Adjustable Standards; $\frac{1}{2}$ -inch "TELSA" Compression Faucets; Soap Dishes; Waste Plugs with Rubber Stoppers; $1\frac{1}{2}$ -inch "S" Trap to Floor with Vent to Wall with Escutcheons; Hardwood Wringer Base.

Approximate Weight.....	Pounds	500
As Described.....	Each	\$100.00
Double Tray with Waste Plugs and Soap Dishes Only.....	Each	80.00

APPROXIMATE DIMENSIONS

Length (Double Tray).....	53	inches
Width.....	26	inches
Depth.....	$14\frac{1}{4}$	inches
Back.....	8	inches
Floor to Top of Rim.....	34	inches

ENAMELED IRON LAUNDRY TRAYS



C 21228

Crane Enameled Iron One-Piece Flat Rim Double Laundry Tray with Integral Back; Painted Adjustable Sanitary Pedestals and Hardwood Wringer Holder on Right Hand End. $\frac{1}{2}$ -inch Nickel Plated Compression Adjustable Flange Faucets with Tee Handles. Nickel Plated Soap Dishes, Waste Plugs and Rubber Stoppers; $1\frac{1}{2}$ -inch Continuous Waste with $1\frac{1}{2}$ -inch "S" Trap. Tray furnished with outside painted one coat. Can be furnished with Hardwood Wringer Holder between sections.

	One Tray	Double Tray
Approximate Weight.....Pounds	175	350
As Described.....	\$34.00	\$70.00


APPROXIMATE DIMENSIONS

Front to Back: Inside, $18\frac{1}{2}$ inches; Outside, 22 inches.
 Height of Back: 4 inches.
 Length inside each section: 20 inches.
 Length overall, single section: $23\frac{1}{2}$ inches.
 Length overall, two sections: 46 inches.
 Depth inside: 12 inches.


WHITE PORCELAIN SLOP SINKS

Crane White Solid Porcelain Roll Rim Slop Sink, Glazed Inside and Outside with 12-inch Integral Back; Adjustable Iron Trap Standard with Outlet to Wall or Floor as may be desired; Nickel Plated Brass Strainer; 1/2-inch Nickel Plated Brass Compression Adjustable Flange Plain Bibbs.

Size Approx. . . . Inches	20x22x12	22x24x12
As Described, Regular Selection Each	\$69.00	\$78.00
As Described, Special Selection Each	78.00	86.00
For N. P. Brass Rim Guard Add. . . . Each	9.50	9.50
Approx. Weight . . Lbs.	315	352



C 21320



C 21360

ENAMELED IRON SLOP SINKS

Crane Porcelain Enameled Iron One Piece Roll Rim Slop Sink with 12-inch Integral Back; Adjustable Iron Trap Standard with Outlet to Wall or Floor as may be desired; Nickel Plated Strainer; 1/2-inch Nickel Plated Compression Adjustable Flange Plain Bibbs.

ENAMELED INSIDE ONLY

Sizes . . In.	16x20x12	18x22x12	20x22	20x24
As Described	\$40.00	\$44.00	\$47.00	\$50.00

ENAMELED IRON FLAT RIM SLOP SINKS



C 21410

Crane Porcelain Enameled Iron Flat Rim Slop Sink with 2-inch Outlet and Nickel Plated Open Strainer and Collar for Lead Pipe Connection.

Size.....Inches	16x16x10	16x20x12	18x24x12	20x22x12	20x24x12
Approximate Weight.....Pounds	45	55	65	70	80
As Described.....	\$10.00	\$13.50	\$14.50	\$15.50	\$16.00

Can be furnished with Plug Strainer with Rubber Stopper.

ENAMELED IRON TRAP STANDARDS FOR SLOP SINKS



C 21420

Crane Enameled Inside 3-inch Slop Sink Trap Tapped for Iron Pipe, with Vertical Adjustment and Cleanout. Trap furnished painted one coat outside.


As Described....Each	\$11.50
Can also be furnished 2-inch size.	



C 21421

Crane Enameled Inside 3-inch Slop Sink Trap with Spigot end for Soil Pipe, with cleanout. Trap furnished painted one coat outside.

As Described...Each	\$11.50
If similar Trap for Lead Pipe Connection specify C-21427.	



C 21428


Crane Enameled Inside 3-inch Slop Sink Trap for Lead Pipe, with cleanout and N.P. Brass Vent to wall. Trap furnished painted one coat outside.

As Described...Each	\$11.50
If similar Trap for soil pipe Connection specify C-21422.	

ADJUSTABLE "P" TRAP STANDARD

Enameled Inside.....Each	\$11.00
Enameled Inside.....Each	\$11.00
Enameled Inside.....Each	\$15.00


BATHROOM FIXTURES AND ACCESSORIES
TOWEL BARS



C 25170

Opal glass towel bar supported on vitreous china brackets with concealed fasteners
The bar is one inch in diameter.

Length.....	15"	18"	24"	30"	36"
Each.....	\$4.50	\$4.75	\$5.50	6.50	\$7.50



C 25664

Brass Rod, 1 inch diameter

12 in.....	Each	\$7.50	30 in.....	Each	\$9.50
18 in.....	Each	8.00	36 in.....	Each	12.50
24 in.....	Each	8.50			


Opal Glass Rods, 1 in. diameter. Cast Wall Standard

18 in.....	Each	\$7.50	30 in.....	Each	\$ 9.50
24 in.....	Each	8.00	36 in.....	Each	11.00



C 26202

Length.....	Inches	15	18	20	24	30	36
Price, 5/8-Inch Nickel Plated Bar.....	Each	\$2.30	\$2.55	\$2.65	\$2.75	\$3.00	\$3.35



C 26210

Length.....	Inches	18	20	24	30	36
Price, 1-Inch Nickel Plated Bar.....	Each	\$4.20	\$4.40	\$4.65	\$5.15	\$5.60

BATHROOM FIXTURES AND ACCESSORIES


TUMBLER HOLDER



C 25204

Each	\$2.25
----------------	--------


TUMBLER AND TOOTH BRUSH HOLDER



C 25226

Each	\$3.00
----------------	--------


SOAP DISH



C 25260

Less Drain Holes	Each	\$3.00
With Drain Holes	Each	3.20

SOAP DISH



C 25264

Less Drain Holes	Each	\$3.50
With Drain Holes	Each	3.70


SOAP DISH



C 25270

Each	\$3.00
----------------	--------

ROBE HOOK



C 25320

Each	\$1.00
----------------	--------

DOUBLE ROBE HOOK



C 25326

Each	\$1.50
----------------	--------


OPAL TUMBLER



C 25350

Each	\$0.75
----------------	--------

TOILET PAPER HOLDER




C 25364

Each	\$4.50
----------------	--------

BATHROOM FIXTURES AND ACCESSORIES


WHITE FINISH BRASS SHELVES, BRACKETS AND SHELF RAILS



C 25602

Opal Glass Shelf with Type A Bracket

Style Bracket	Type "A"
5 x 18 in. Shelf.....	Each \$10.00
5 x 20 in. Shelf.....	Each 10.50
5 x 24 in. Shelf.....	Each 11.50
5 x 27 in. Shelf.....	Each 12.00
5 x 30 in. Shelf.....	Each 12.50




C 25630

GUARD RAIL FOR SHELVES

5'x 18.....	Each \$4.75
5 x 20.....	Each 6.00
5 x 24.....	Each 6.50
5 x 27.....	Each 6.75
5 x 30.....	Each 7.25

These shelves may be securely clamped in the brackets and are held about $\frac{3}{16}$ of an inch from the wall, allowing the back edge to be cleaned. Glass shelves in contact with the wall are very unsightly and unsanitary when dirt collects behind them.


PAPER HOLDERS



C 25904

EXTRA HEAVY, ROLL SPRINGS INTO BALL SOCKETS

BATH TUB SEAT



C 26650


Each.....	\$3.75		White Enameled Seat.....	\$6.00
-----------	--------	--	--------------------------	--------

BATHROOM FIXTURES AND ACCESSORIES

TOOTH BRUSH HOLDERS




C 25810




C 25812

Tooth Brush Spreader....Each	\$2.00		Tooth Brush Holder....Each	\$1.75
------------------------------	--------	--	----------------------------	--------



C 25750

TUMBLER HOLDER



C 25830


SOAP DISH WITH OPAL GLASS
REMOVABLE LINING

Each.....	\$3.25			
With China Tumbler....Each	4.25		Each 5 ³ / ₈ x4 ³ / ₁₆ in.....	\$4.50

ROBE HOOK



C 25940



C 26504

Each.....	\$0.50		Each.....	\$2.40
-----------	--------	--	-----------	--------

RAZOR STROP HOOK

TUMBLER HOLDER



C 26710




C 26304

Each.....	\$0.35		Each.....	\$2.40
-----------	--------	--	-----------	--------


BATHROOM FIXTURES AND ACCESSORIES

SANITARY STEEL MEDICINE CABINETS



C 26902
STYLE E

WITH OPEN SHELF



C 26920
STYLE F

WITHOUT OPEN SHELF

STYLE E: TO RECESS IN WALL, WITH OPEN SHELF BELOW

Number	Extreme dimensions Outside, Inches	Size of Mirror, Inches	Inside dimensions, Inches	Wall opening required, 4 1/4 inches deep	Price with Enameled shelves	With polished plate glass shelves add	Plain door without Mirror deduct
19	16 x 27 1/2	10x14	14 x 16	14x25	\$20.50	\$4.00	\$ 2.00
20	21 1/2 x 33 1/2	14x18	18 3/4 x 21	19x30	28.50	7.00	7.00
21	23 1/2 x 35 1/2	16x20	20 3/4 x 23	21x32	34.50	8.00	10.00
22	25 1/2 x 37 1/2	18x22	22 3/4 x 25	23x34	41.00	9.00	14.00
23	27 1/2 x 39 1/2	20x24	24 3/4 x 27	25x36	47.50	10.00	18.00

STYLE F: TO RECESS, WITHOUT OPEN SHELF BELOW

Number	Extreme dimensions Outside, Inches	Size of Mirror, Inches	Inside dimensions, Inches	Wall opening required, 4 1/4 inches deep	Price with Enameled shelves	With polished plate glass shelves add	Plain door without Mirror deduct
29	16 x 20	10x14	14 x 16	14x17	\$18.00	\$2.00	\$ 2.00
30	21 1/2 x 25 1/2	14x18	18 3/4 x 21	19x22	26.50	4.50	7.00
31	23 1/2 x 27 1/2	16x20	20 3/4 x 23	21x24	32.50	5.50	10.00
32	25 1/2 x 29 1/2	18x22	22 3/4 x 25	23x26	40.00	6.00	14.00
33	27 1/2 x 31 1/2	20x24	24 3/4 x 27	25x28	46.50	6.50	18.00

In providing the recess for styles E and F care must be taken that the frame is square and of proper size.

Three-quarter inch grounds are required, and the plaster must come up flush and smooth to them.


The TOP of the opening is 6 feet 2 inches from the floor, which will bring the mirror in proper position for the average adult.

The recessed lockers require a depth of 4 1/4 inches from the face of the plastered wall to the back of the recess, and they project 1 1/4 inches from the wall.

CRANE

"TELSA" HIGH GRADE COMPRESSION FAUCETS RED METAL


WITH SHOULDER



C 31102

PLAIN FAUCETS
FOR IRON PIPE

SET SCREW FLANGE



C 31220

C 31102 WITH SHOULDER

Size	Inches	1/2	3/4
Price, Rough	Each	\$1.20	\$1.60
Price, Finished	Each	1.40	1.80
Price, Nickel Plated	Each	1.55	1.95

C 31220 SET SCREW FLANGE

Size	Inches	1/2	3/4
Price, Finished	Each	\$2.25	\$2.65
Price, Nickel Plated	Each	2.25	2.65

EXTRAS

Size	Inches	1/2	3/4
For Hose End	Add Each	\$0.20	\$0.30
For All China Handle	Add Each	.70	.70
For Four Ball China Indexed Handle	Add Each	.50	.50

SELF-CLOSING FAUCETS FOR IRON PIPE


PLAIN



C 31550

"TRIUMPH"
RED MEDAL
HIGH GRADE
BALL BEARING
WITH HEXAGON

EXTENSION SCREW FLANGE



C 31570

C 31550—PLAIN FAUCETS

Size	Inches	1/2
Price, Finished	Each	\$5.00
Price, Nickel Plated	Each	5.00


C 31570—EXTENSION SCREW FLANGE

Size	Inches	1/2
Price, Finished	Each	\$5.00
Price, Nickel Plated	Each	5.50

C-31590 Compression Faucet to match—Same price.
These Faucets can be supplied with "Tee" handle—Same price.


COMPRESSION WASH TRAY FAUCETS STUB PATTERN

SOLID FLANGE, MALE



C 31710

SOLID FLANGE, MALE, HOSE



C 31711

C 31710 SOLID FLANGE, MALE

Size.....	Inches	1/2
Price Finished.....	Each	\$1.60
Price Nickel Plated.....	Each	1.60

C 31711 SOLID FLANGE, MALE, HOSE

Size.....	Inches	1/2
Price Finished.....	Each	\$1.80
Price Nickel Plated.....	Each	1.80

COMPRESSION BASIN FAUCETS

FOUR ARM INDEXED
ALL-CHINA HANDLE

NICKEL PLATED

FOUR BALL HANDLE
WITH INDEX

"TELSA" HEAVY PATTERN
RED METAL



C 31800

WITH EXPOSED STUFFING
BOX



C 31802

WITH EXPOSED STUFFING
BOX

Price, with Four Arm Indexed All-China Handle and Exposed Stuffing Box.....	Each	\$5.30
Price, with Four Ball Handle with Index and Exposed Stuffing Box...	Each	5.00

"Telsa" Basin Faucets are extra heavy and made of best Red Metal. They are provided with encased swivel discs and the best composition seat washers, and have renewable seats. We recommend these faucets wherever high grade Basin Faucets are wanted.

COMPRESSION BASIN FAUCETS

NICKEL PLATED

"TELSA, JR." BASIN FAUCETS RED METAL

FOUR ARM INDEXED
ALL-CHINA HANDLE



C 31842

WITH CONCEALED STUFFING BOX

FOUR BALL HANDLE
WITH INDEX



C 31844

WITH CONCEALED STUFFING BOX

Price, with Four Arm Indexed All China Handle and Concealed Stuffing Box.....	Each	\$2.90
Price, with Four Ball Handle with Index and Concealed Stuffing Box. Each		2.75

"Telsa, Jr." Basin Faucets are extra heavy and made of best red metal. They are provided with encased swivel discs and the best composition seat washers. We recommend these faucets wherever high grade Basin Faucets are required.


"AGILIS, JR."
WITH INDEXED CHINA
LEVER HANDLE



C 31930

WITH CONCEALED STUFFING BOX

"TRIUMPH, JR."
SELF-CLOSING




C 31970

Price, "Agilis, Jr." with China Indexed Lever Handle and Concealed Stuffing Box.....	Each	\$2.75
--	------	--------

The "Agilis, Jr." Faucets are extra heavy and made of best red metal. They are provided with encased swivel discs and the best composition seat washers.

C 31970—"Triumph Jr." with Four Ball China Indexed Handle.....	Each	\$5.80
C-31992—Comp. Lavatory Faucet to match.....	Each	5.80


"AGILIS" QUICK COMPRESSION DOUBLE LAVATORY FAUCETS



C 31904

Crane "AGILIS" Nickel Plated Red Brass Quick Compression Double Lavatory Faucet with Concealed Stuffing Boxes, Encased Composition Swivel Discs, Renewable Seats, Indexed China Lever Handles and $\frac{1}{4}$ -inch Male Iron Pipe Tail Pieces.

Price.....	Each	\$12.45
------------	------	---------



C 32551


LAVATORY SUPPLY PIPES

Crane Nickel Plated Brass Straight Lavatory Supply Pipe with Metal Floor Flange and reducing coupling for $\frac{1}{4}$ -inch I.P. Tail Piece.

Price Nickel Plated $\frac{3}{8}$ -inch Iron Pipe Size....	Per Pair	\$2.65
Price Nickel Plated $\frac{1}{2}$ -inch Iron Pipe Size....	Per Pair	3.75


Crane Nickel Plated Brass Straight Lavatory Supply Pipe with Wheel Handle Compression Stop, Metal Floor Flange and reducing coupling for $\frac{1}{4}$ -inch I.P. Tail Piece.

Price Nickel Plated $\frac{3}{8}$ -inch I.P. size.....	Per Pair	\$5.10
Price Nickel Plated $\frac{1}{2}$ -inch I.P. size.....	Per Pair	6.45




C 32553

Crane Nickel Plated Brass Angle Lavatory Supply Pipe with Metal Wall Flange and reducing couplings for 1/4-inch I.P. Tail-piece.



C 32561

Iron Pipe Size and Weight.....Inches	3/8	1/2	3/8	1/2
Length.....Inches	6x6	6x6	6x9	6x9
Price—Nickel Plated.....Per Pair	\$2.40	\$3.45	\$2.80	\$4.00



C 32563

Crane Nickel Plated Brass Angle Lavatory Supply Pipe with Wheel Handle Compression Stop. Metal Wall Flanges and reducing couplings for 1/4-inch I.P. Tailpiece.

Iron Pipe Size and Weight.....Inches	3/8	1/2	3/8	1/2
Length.....Inches	6x6	6x6	6x9	6x9
Price—Nickel Plated.....Per Pair	\$4.50	\$5.70	\$4.90	\$6.25




C 32604

Crane Nickel Plated Brass Angle Pattern Compression Lavatory Stop with Screw Driver Slot and Iron Pipe Thread both ends.

Furnished in the following sizes:

Price—N.P.	3/8-inch Iron Pipe, Each	\$.70
"	1/2-inch Iron Pipe "	.75

Can also be furnished Rough or Polished when so specified.




C 32752

Crane "AGILIS" Nickel Plated Red Brass Quick Compression Double Sink Faucet with Concealed Stuffing Boxes, Encased Composition Swivel Discs, Renewable Seats, Swinging Spout, Indexed China Lever Handles and Female Union Supply Connections for 1/2-inch Iron Pipe.

Price—N.P.....Each	\$9.00
--------------------	--------

BATH FAUCETS




C 32764


Crane "AGILIS" Nickel Plated Red Brass Quick Compression Double Sink Faucet with Concealed Stuffing Boxes, Encased Composition Swivel Discs, Renewable Seats, Swinging Spout, China Soap Dish, Indexed China Lever Handles and Female Union Supply Connections for 1/2-inch Iron Pipe.

Price Nickel Plated.....Each | \$10.50

Crane "TELSA" Nickel Plated Red Brass Compression Double Bath Faucet with Concealed Stuffing Boxes, Encased Composition Swivel Discs, Four-Arm Indexed All-China Handles, Shampoo Connection and Threaded Shanks for 3/4-inch Male Iron Pipe with Flanges and Locknuts and R. N. P. coupling and Tailpiece. for 1/2-inch Iron Pipe.



C 33100




C 33103

Crane "TELSA" Nickel Plated Red Brass Compression Double Bath Faucet with Concealed Stuffing Boxes, Encased Composition Swivel Discs, Four-Arm Indexed All-China Handles, Shampoo Connection and Threaded Shanks for 3/4-inch Male Iron Pipe with Flanges and Locknuts and Rough Nickel Plated Coupling and Tailpieces for 1/2-inch Iron Pipe.

Price Nickel Plated.....Each | \$5.15


Crane Nickel Plated Brass Exposed Combination Top Bell Supply and Standing Waste Fixture with Compression Supply Valves with Renewable Seats, Unions and Four-Arm Indexed All-China Handles and 1/2-inch Iron Pipe Size and Weight Supplies to Floor with Metal Floor Flanges; 2-inch Standing Waste and Overflow with Indexed China Knob and Metal Floor Flange.

Price Nickel Plated.....Each Set | \$39.00



C 33402

CONCEALED COMBINATION BATH FIXTURES



C 33450-E

Crane Red Brass Concealed Combination Bell Supply and Standing Waste Bath Fixture with $\frac{1}{2}$ inch By-Pass Pattern Compression Supply Valves with Encased Composition Swivel Discs, Renewable Seats, Union Supply Connections and Concealed Standing Waste, with Four-Arm Indexed All-China Handles and China Escutcheons on Valves and Waste. All exposed metal parts are Nickel Plated Brass.

Price	Each Set	\$24.00
-------------	----------	---------

Crane Red Brass Concealed Overrim Spout Bath Supply Fixture with $\frac{1}{2}$ -inch By-Pass Pattern Compression Supply Valves with Encased Composition Swivel Discs, on 8-inch Centers, Renewable Seats, Union Supply Connections and Four-Arm Indexed All-China Handles and China Escutcheons. All exposed metal parts are Nickel Plated.

C-33510-A same as above, except Valves on 11-inch Centers.


Price C-33510-B.....	Each	\$10.50
Price C-33510-A.....	Each	\$10.50

Can also be furnished with Five-Ball China Indexed Handles and Metal Escutcheons on Valves if desired. Also with Shampoo Connection on Overrim Spout when so specified.


Crane Concealed Cast Brass Connected Waste and Overflow with Bead Chain and Rubber Stopper. All exposed metal parts are Nickel Plated Brass.

For use with Built-in Bathtubs with Horizontal Waste below Floor.

Price— $1\frac{1}{2}$ -inch Outside Diameter....	Each	\$5.00
Furnished for Porcelain Baths when so specified.		



C-33510-B



C 33572-E



C 34167


Crane N.P. Adjustable Centrifugal "P" Trap for Basin with Cleaning Screw and with Patent Overflow, Bead Chain and Rubber Stopper.

1 1/4-inch Nickel Plated.....	Each	\$4.75
1 1/2-inch Nickel Plated.....	Each	6.30
2-inch Nickel Plated.....	Each	14.40

Crane N.P. Adjustable Centrifugal "S" Trap for Basin with Cleaning Screw and with Patent Overflow, Bead Chain and Rubber Stopper.

1 1/4-inch Nickel Plated.....	Each	\$4.75
1 1/2-inch Nickel Plated.....	Each	6.30
2-inch Nickel Plated.....	Each	14.40

Above Traps can be furnished with Sink Connection at same prices.



C 34169

PATENT OVERFLOW



C 33800


Crane Nickel Plated Cast Brass Patent Overflow Plug with 1 1/4-inch Solid Rubber Stopper and Tail Piece.

Furnished with 1 1/4 or 1 1/2-inch Outside Diameter Tail Piece as specified.

Can be used with either Vitreous China or Enameled Iron Lavatories.

Price Nickel Plated.....	Each	\$.75
--------------------------	------	--------

SINK FUNNEL



C 33815

Nickel Plated Brass Sink Funnel Connection with Tail Piece 5-inches Long.

Furnished 1 1/4-inch or 1 1/2-inch Outside Diameter Tail Piece as specified.

Price Nickel Plated	Each	\$.75
---------------------	------	--------

CAST IRON TRAPS



C 34458

Crane 1 1/2-inch Cast Iron Adjustable Centrifugal "P" Trap with Cleaning Screw, Coupling Nut and Connection for Sink.

Price.....Each \$3.30

Crane 1 1/2-inch Cast Iron Adjustable Centrifugal "S" Trap with Cleaning Screw, Coupling Nut and Connection for Sink.

Price.....Each \$3.55



C 34460



C 34462

Crane 1 1/2-inch Cast Iron Centrifugal "P" Trap with Cleaning Screw, Coupling Nut and Connection for Sink.

Price.....Each \$2.60

Crane 1 1/2-inch Cast Iron Centrifugal "S" Trap with Cleaning Screw, Coupling Nut and Connection for Sink.

Price.....Each \$3.00



C 34464

GALVANIZED RANGE BOILERS
STANDARD AND EXTRA HEAVY
HORIZONTAL



C 38430

WELDED



C 38432

RIVETED




C 38436

Capacity, Gallons.	Diameter, Inches	Length, Feet	STD.	X. Hvy.
18	12	3	\$12.00
24	12	4	12.00
30	12	5	12.00	\$15.75
40	14	5	18.75	20.25
52	16	5	31.35	37.05
66	18	5	50.25	59.25
82	20	5	61.15	72.00
100	22	5	85.10	100.50
120	22	6	96.55	114.00
144	24	6	159.75
168	24	7	181.50
192	24	8	204.75

WORKING PRESSURE

Standard.....	Pounds	85
Extra Heavy.....	Pounds	150

CRANE AUTOMATIC WATER SUPPLY SYSTEM



C 51198

These systems are complete units ready for plumbing connections and electric service wires. They can be used wherever electric current is available.

No. 215A is designed for the average home of two to five persons. No. 215B for homes of two to six persons and No. 215C for homes of two to eight persons. They will supply all water necessary for bath, laundry and kitchen.

Tanks are galvanized both inside and outside.


All seams are electrically welded and tanks are tested to 150 pounds hydraulic pressure.

The tank and pumping units rests upon the same base with four supporting legs elevating it from the floor.

TABLE OF CAPACITY, DIMENSIONS, ETC.

Figure Number.....	215 A	215 B	215 C	215 D
Size of Motor.....H.P.	$\frac{1}{6}$	$\frac{1}{6}$	$\frac{1}{6}$	$\frac{1}{6}$
Capacity of Pump, per Hour.....Gal.	210	210	210	210
Capacity of Galvanized Tank.....Gal.	42	53	82	120
Suction.....Inches	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$
Discharge.....Inches	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$
Height.....Inches	53	53	65	65
Width.....Inches	25	27	29	23
Depth.....Inches	28	30	32	36
Price, complete.....Each	\$180.00	\$187.50	\$202.50	\$227.50

Be sure and always specify Voltage and if D.C. or A.C. current as well as Cycles.



C 31850

THE ROYAL NON-INSULATED AUTOMATIC STORAGE GAS WATER HEATER

The Royal is for heavy duty service. It has double extra heavy galvanized steel tank, instant-action thermostat, two burners and heating elements for double quick recovery. The mechanism and materials are especially adapted to its job of supplying large quantities of "instant hot water." It is built in two sizes.


Size No. 75, 65-gallon capacity. For larger homes having extra bathrooms and club type showers. Price \$220.00 at factory. No. 120, 93-gallon capacity. A good size for apartment buildings, small hotels, office buildings, etc. Price \$240.00 at factory.

When greater amounts of stored hot water are desired, two Royals of either size can be operated in tandem or with additional storage tank.

THE MARVEL HAND OPERATED STORAGE HEATER


The Crane Marvel Heaters, hand operated and storage type, single unit heaters, not insulated, are supplied in two sizes at exceptionally low prices.

	Capacity	Price
Size No. 24.....gals.	17	\$29.00
Size No. 32.....gals.	23	31.00



C 31852

PREMIER INSULATED AUTOMATIC STORAGE GAS WATER HEATER



C 38160

The "Premier" Heater keeps a tank of steaming hot water ready for use whenever needed. Drawing hot water at any fixture brings the heater into operation automatically so that the hot water used is very quickly replaced.

Completely insulated and protected by metal casing. Finished gray enamel with nickel trim.

When the "Premier" is installed it is only necessary to light the pilot, open the gas cock and the hot water service is in operation. No further attention is required.

In a few minutes the storage supply will be heated to the thermostatically set temperature. This is usually 130°F., but it is adjustable 80° to 190°. Instantly this set temperature is reached, the thermo-valve


with a quick movement shuts off the gas supply to the main burner, and a tank full of steaming hot water is ready for instant service.

When water is drawn from this storage, fresh water from the mains comes in at the bottom of the tank, chills the thermo rod which causes the automatic gas valve to open and the heating process immediately begins. Thus the storage supply of hot water is maintained and is always ready.

Size 2: For homes with one bath, kitchen sink, usual number of lavatories and laundry trays.

Size 3: For homes with two baths, kitchen sink and usual number of lavatories and laundry trays.


Size 4: Double burner equipment—quick recovery. For homes and apartments with three or four baths, large barber shops, restaurants, clubs, etc.



C 38160

No.	Size Heater Inches	Overall Height on Base Inches	Capacity Gallons	Price Each
2	16x50	61	23	98.00
3	18x50	61	31	130.00
4	22x50	61	48	198.00

All sizes are furnished with hot and cold water connections 61½ inches from floor. Gas connection at thermo-valve, 31½ inches from floor.




KEYSTONE, made in two sizes:

Size No.....	2-20
Capacity.....Gals....	20
Price.....	\$68.00

No.....	3-35
Capacity.....Gals....	35
Price.....	\$90.00

The Keystone, with heavy copper tank, and with brass heating element, brass connections and full size copper pipes can be supplied and we shall be glad to furnish prices on application.

SOFT WATER FOR EVERY HOUSEHOLD NEED



C 46248

At every faucet you now can have running water as soft and fresh as falling rain. For the CRANE-WARLO WATER SOFTENER takes the harsh lime and magnesia out of hard water. No chemicals of any kind are added. Only the destructive minerals are removed. Then, everything done with water is improved. Meats and vegetables are tenderer, tea and coffee more flavorful. Shampooing, washing, and bathing reach real luxury. Clothes wash whiter and last longer. And the soap savings alone practically repay the entire investment.

Household Units are made in sizes.

Size of tank	C1	C7	C3	C4
Inches	12x40	16x16	18x46	20x46

THE C-W JUNIOR


Size of tank	CW	CW-Jr.
Inches	12x38	12x38

Ask for Special Water Softener Bulletin.

RADIATORS, BOILERS AND HEATING MATERIALS

IN this catalogue we are able only to show a few of the many lines of Radiators and Boilers which we handle, but one of our representatives will gladly supply any information upon request.

The close touch with the heating needs and practices together with the use of high-grade materials, concentration in production and scientific thermal tests which we apply, enable us to offer values unequalled.



C 39081

DAISY TANK HEATERS

DIMENSIONS, CAPACITY AND PRICES OF TANK HEATERS

No. of Heater	Capacity Lin. ft. 1-in. Pipe	List Price	Height to Top	Distance from floor to centre of		Size of Outlet	Capacity Gals. per Hour	Diameter of Grate
				Outlet	Inlet			
20	150	\$20.00	26½	21	17½	1	35	8
21	225	25.00	29¾	34¾	18	1¼	50	8
22	450	40.00	36	29¾	21	1½	100	10


NOTE.—The rating in gallons per hour indicates the number of gallons of water that can be raised from 60° to 150° F.



HIGH BASE
DAISY HOT WATER BOILER

We carry a complete line of Water and Steam Boilers, also radiators, piping, valves and traps. Please ask for separate Catalogue dealing fully with this Heating line.

WARDEN KING RADIATORS



CAN BE SUPPLIED IN THE FOLLOWING

Height	Tube	Tube	Tube	Tube	Tube
20"	2	3	4	5	6
26"	2	3	4	5	6
32"	2	3	4	5	6
38"	2	3	4	5	6

Send for our complete circular on Radiation.

